




MINIRACK®



The high quality storage system for goods of low to medium weights.

MINIRACK® LONGSPAN RACKING

The fully adjustable minirack® longspan racking system is designed for storage of light to medium loads. It lends itself to use in almost any situation: shelving racking, long span racking, multitier and high rise constructions. The system offers the benefits of quick assembly, good stability and low cost. minirack® is dedicated for the storage of hand loaded heavy products, such as machinery equipment and tools. The system is also suitable for the construction of multitier constructions.



- 1/ The frame
- 2/ The framebracing
- 3/ The beam
- 4/ The decking

Standard finish: galvanised
Painted possible on demand

THE FRAMES

The upright is perforated at a pitch of 50 mm allowing boltless mounting of the beams. The tapered shape of the hook guarantees a stable and rigid design.

Type	Width	Height	Depth	Purpose
ML50	50 mm	1500-6000 mm	400-1200 mm	Free standing racks
ML80	79 mm	3000-9000 mm	400-1200 mm	Multitier applications

*Other heights and depths available on demand.



(CLEAR BENEFITS FOR EVERY APPLICATION)

- › Complies with the European FEM and EN regulations quality assured to ISO 9001.(BQA N° 019 QMS)
- › Computer aided design ensuring the best solution for every application, including static calculation

- › All components have been thoroughly tested in specialized laboratories.
- › Fully automated production to a high quality standard and in a cost-effective way




LONG-SPAN RACKING


The construction of stow's longspan racking system is similar to pallet racking. It comprises frames, beams, a full range of accessories and wooden or metal shelves. The main benefits of this shelving and racking system are: the quick assembly, the good stability and the low cost.

THE BEAMS


Several types of beams are available, to suit all possible configurations.




Step beam
th. 1.25 / 1.5



Tube beam
50x30x1.5 / 70x30x2




Beam for tyres
th. 1.5



Garment hanger beam
Ø 35 th. 2




SHELVES



chipboard



melamine coated chipboard



mesh shelf



galvanised shelf

(CLEAR BENEFITS FOR EVERY APPLICATION)

- › Complies with the European FEM and EN regulations quality assured to ISO 9001.(BQA N° 019 QMS)
- › Computer aided design ensuring the best solution for every application, including static calculation

- › All components have been thoroughly tested in specialized laboratories.
- › Fully automated production to a high quality standard and in a cost-effective way



we rack the world

www.stow-group.com

Headquarters: stow Group • Industriepark 6B, 8587 Spiere-Helkijn, Belgium • info@stow-group.com

Austria • Belgium • Czech Republic • Deutschland • France • Netherlands • Poland • Portugal • Slovakia • Spain • Turkey • UK



stow Group



stow Group



stow_Group



stow_group



stowgroup